

Over **60** years of consistent excellence

# **Touch Screen** Computerized **Brinell Hardness Testing Machine** Model : B 3000-TS





Date and time

Nulo

Olimotor

intentation Size

Job Number

Romark

3000 kgt

3 653 mm

Inch

A1212016 2 A1 PM

Wide Testing Range from Soft metal up to hardest



Accuracy Measurement of Brinell Hardness Number using image processing technology



Fully Computerized Touch Screen Brinell Hardness Testing Machine





## **Touch Screen Computerized Brinell Hardness Testing Machine**

Model : B 3000-TS

#### Features :

- Fully Computerized Touch Screen Brinell Hardness Testing Machine.
- Accurate Measurement of Brinell Hardness number using "State of the art" image processing technology.
- Wide testing range : from soft metal up to hardest.
- High accuracy & repeatability of measurement at all loads.
- Faster measurement yielding to higher productivity.
- Small size of indentation makes it a non destructive testing on finished components.
- Hydraulic loading and unloading cycle.
- Advanced windows based software
- Inbuilt branded touch screen laptop.
- Front panel touch screen display.

#### Latest GUI features

- User Friendly software with windows features.
- Online indentation setting & focusing on front touch screen display.
- Advance image processing : algorithms implemented for precise calculation of hardness numbers with various options to cover all ranges of specimen.
- Batch file processing : Option for data storage & reports generation.
- Statistical Evaluation : Software for calculating standard deviation, mean, median, histogram etc.
- Wide options in calibration mode calibration/verification on PC makes easier to operate.
- Extensibility for future advanced image processing analysis requirements.
- USB Printer port for printer interface with result & graph print out.
- Facility to measure in Manual, Semi automatic & Automatic Mode.
- Facility to export result/data in PDF format.

#### **Application :**

'FIE' touch screen Brinell hardness tester Model B 3000 - TS is a simple and accurate means to produce and automatically measure the indentation to give Brinell hardness number.

These testers are suitable for measuring the hardness of precision metallic parts with wide testing range from soft to hard and their accurate results are widely acclaimed.

These testers strictly confirms to IS 1500-2.

#### **Construction:**

The robust machine frame is designed to accommodate the high precision loading system and an optical device with CCD Camera equipped with front touch screen laptop.

Specimen is placed on a testing table and brought in contact with clamping cone. Load/Unload/Read operations are done through 3 position hand lever.

The image is digitalized using CCD camera fitted on the optical device and is captured by the front touch screen laptop.

The diameters of the indentation are directly measured by software to give the Brinell hardness number.

The machine is equipped with latest touch screen branded laptop so their is no need to arrange for computer.



#### **Technical Specifications :**

Test Loads	250 to 3000 in stages of 250kgf.
Magnification of objectives	4X
Measuring Range	1 to 6mm
Maximum Test Height (mm)	380
Scale least count (mm)	0.01
Throat Depth (mm)	200
Machine Dimensions	L1025 x W645 x H1178 Approx.
Weight	450 Kg. Approx.
Power Supply	415V, 50Hz, 3-Ph.

#### Standard Accessories :

Testing Table 200mm dia	1 No.
Testing Table 70mm dia with 'V groove	
for round jobs 10 to 80mm dia.	1 No.
Ball Holder 5mm	1 No.
Ball Holder 10mm	1 No.
Test Block HBW-5/750	1 No.
Test Block HBW-10/3000	1 No.
Allen Spanner	4 Nos.
Weights	1 Set
Telescopic cover for elevating screw protection	1 Set
Electric cord	1 No.
USB device for Video	1 No.
Instruction Manual	1 Book.




## Touch Screen Computerized Brinell Hardness Testing Machine Model : B 3000-TS



### Software Packages for - B 3000-TS

Home Page



Statistics

		NADRAV, ICHALRA BARDNESS TEST CI		
erillesis Na. 117	-BRINESS.	ILARD-LESS TEST CO	KUPAAL	Bate : 81810309
Conditionary Theory	.1	I.		
vidnes	-K	OLIDAPUTE.		
langle Description				
Temple Parent	:0	4		
Reel Craile				
Total glassmatter	- 20			
	an sg			
NUS 11	1.00			
	58.05W			
- 12 Tab 72	an xerv			
and presentations				
	In No.	Burfariz in BDV	Kenni	
	1	107.	GK.	
	1	197	0K	
	1	181	GK.	
		183	GK.	
	5	110	HIDH	
	- 6	.276	HIGH	
	1	211	10004	
	1	20	HIGH	
		20	TEXH	
	10		inver.	
Tested by	1	Teul	Authorized 3	5 4 5 4 F
00500		Teed	Model	Ignaliny I B 5000 TS I LL2015-5181

Result

0	Loui Rel Die	: prote light	Den and Titus :
0	Bardson. Bardson.	14.20mm (unit 1977 MOVE 18.1 MMI)	Type Auto Breast 100. Ant Ne 1
0	Lood Ruf. Dia	2000 BgP	Data and Three : 20107 PM
0	2 mention Reddens	4.2007 mm - 117 ABPW 14 - 1888	Type Anto Banark OX Job Ne+
-	Lost	: 1000 kg/	Dain and Time :
0	Rad Dis. Theorem. Northern	1975an 14.39137 san 1977 XARW NA TANKS	Tign Am Basark OX
-	lost.	3000 kg/	Date and Thee : single and
0	Bull Dis Discontinue Dischlorette	14.2912710m 24.2912710m	Type Harmid Robark CK.
1	3.000	and tag	Date and Time 1
0	Pull Dia Temporine Maritenti,	(2) mar (3.403) mar (3.13.240W 14 / (am)	10:31 204 Tage Ann Remets 10:220 Ach Na i
-	lowf	3000 kg/	Data and Tame 1
Del the Deserves		- 1.401 and - 1.10 serve in - task	Type Manual Research 18582
0	Loui	: 3000 kgf	Data and Thun (
Part Na Presentes Revision	101000 10.0027 ener 1711 305W 10.7 been	Type Auto Remarks 10100 Joh Na (	
0	lost	2000 bgf	Data and Time 1 3442 394
	Simmin Terlare	2.4802 even	Figs Ann Remain 1952
-	Lord	1000 kgt	Date and Them (
0	Bab Dia. Dimensione Hardinere	2.00 mm 2.012.000 (0.000) 2.012.000790 (1.012.0000)	Type Aver Komarks 19520 July Na (
-	1 cont	(1000 kg/	Date and Time : Artic PM
0	End Dis. Discussion Mandamas	34400 mm 34400 mm 371 100W to 2 terms	Tige Am Romath 10211

Readings with Impressions

Touch Screen Computerized **Brinell Hardness Testing Machine** 

Nulo

Otomotor

melontation Size

Job Number

Romark

3000 Kgl

Date and Time

mm

3 653 mm

1 licht

Model : B 3000-TS



Over **60** years of consistent excellence

Manufactured By : Fuel Instruments & Engineers Pvt. Ltd. Sold And Serviced By : SUZUKI INSTRUMENTS @: sales@simaterialtestingservices.com www.simaterialtestingservices.com

M: 9594084085